





We believe in well-rounded environments.

We are built on an understanding of child development. This allows us to design and build playgrounds that are centered around your program's objectives — going beyond just providing physical play. We also focus on addressing comprehensive issues and age-specific needs.

1

Physical Play

Physical play strengthens the body, develops gross motor skills, and allows for learning opportunities in adaptability, flexibility, and resilience.

2

Dramatic Play

Dramatic play allows children to act out everyday scenes to make sense of their surroundings. It also encourages communication, sharing, creativity, and emotional development.



Music & Art Play

Children access their playfulness, creativity, and innovative spirits when practicing music and art, in addition to developing fine motor skills.



Being outside gives children the opportunity to explore and understand nature, while the outdoor classroom allows children to explore topics such as math and science.



Why choose recycled plastic?

Once you see the benefits, you'll understand why recycled plastic posts and decking for playgrounds are becoming more and more popular for schools, parks, housing communities, and child cares.



Look of wood without the maintenance — **no splinters or rotting**



Made from **non-toxic** and **environmentally-friendly** materials



Decks and posts do not rust or flake



Equally as strong as wood or steel playgrounds

Did you know?



Our playgrounds are made from 95% reclaimed post-consumer plastic products such as milk jugs!

Every pound of recycled plastic lumber equates to 8 recycled milk containers. Additionally, the posts and decking can be recycled at the end of their life.



Playgrounds built for coastal environments.

Marine borers, salt spray, UV rays, and unwanted playground rust beware. Our playgrounds are the perfect match for you.



Built-In Resistance Our posts and decks resist marine borers and salt spray.



UV Additives Most of our components, as well as our shade fabric, either have



Extra Protection Options Our metal components can have an extra-protection coating to protect against salt spray and the coastal air.











Playground **Design Ideas**

Why choose recycled plastic? We're durable, low maintenance, and environmentally friendly — everything you're looking for in a playground.

Our recycled plastic posts and decks are high-performance and durable. They don't splinter, chip, rust, or fade. What's more, they can be easily maintained with soap and water and a light pressure wash to keep your playground looking new.

In This section

New! R-Town® Cottages 5-12 Years 2-12 Years 22 2-5 Years 26 6-23 Months Adventures in Growing® Tot-Trek®







RFX-30187 NEW

Age Group: 2-5 Years Capacity: 10-15 Structure Size: 22' x 16' Use Zone: 35' x 28' Fall Height: 4' Est. Timber Count: 27

R-Town®



Age Group: 2-5 Years Capacity: 60-65 Structure Size: 25' x 24' Use Zone: 37' x 36' Fall Height: 4' Est. Timber Count: 31













GFP-20710

Age Group: 5-12 Years

Reverse View







GFP-30082

Age Group: 2-12 Years Capacity: 25-30 Structure Size: 29' x 21' Use Zone: 41' x 33' Fall Height: 6' Est. Timber Count: 32



Reverse View



GFP-30281

Age Group: 2-12 Years Capacity: 30-35 Structure Size: 28' x 19' Use Zone: 40' x 3' Fall Height: 4' Est. Timber Count: 30



What's timber count? The amount of 4' playground timbers (or borders) needed to surround the playground should a type of loose fill surfacing be used. See page 67 for more information.

Ages 2-12 Years

GFP-30282

Age Group: 2-12 Years Capacity: 25-30 Structure Size: 21' x 20' Use Zone: 33' x 32' Fall Height: 5' Est. Timber Count: 27



Reverse View



GFP-10013

Age Group: 2-12 Years Capacity: 25-30 Structure Size: 22' x 19' Use Zone: 34' x 31' Fall Height: 6' Est. Timber Count: 27

Available Without Shade GFP-10013-1





GFP-30122-1 Age Group: 2-12 Years Capacity: 35-40 Structure Size: 25' x 22' Use Zone: 37' x 34' Fall Height: 4' Est. Timber Count: 30







GFP-30011

Age Group: 2-5 Years Capacity: 35-40 Structure Size: 16' x 15' Use Zone: 28' x 27' Fall Height: 3' Est. Timber Count: 22





GFP-30211

Age Group: 2-5 Years Capacity: 50-55 Structure Size: 32' x 21' Use Zone: 44' x 33' Fall Height: 6' Est. Timber Count: 35

Available Without Shade GFP-30211-1



What's timber count? The amount of 4' playground timbers (or borders) needed to surround the playground should a type of loose fill surfacing be used. See page 67 for more information.

Ages 2-5 Years

GFP-30013

Age Group: 2-5 Years Capacity: 35-40 Structure Size: 20' x 26' Use Zone: 32' x 38' Fall Height: 4' Est. Timber Count: 29





GFP-30270

Age Group: 2-5 Years Capacity: 40-45 Structure Size: 25' x 18' Use Zone: 37' x 30' Fall Height: 3' Est. Timber Count: 30



GFP-20639 Age Group: 2-5 Years Capacity: 15-20 Structure Size: 25' x 20' Use Zone: 37' x 32'

Est. Timber Count: 29

Fall Height: 3'



GFP-30221-1

Age Group: 2-5 Years Capacity: 30-35 Structure Size: 21' x 18' Use Zone: 33' x 30' Fall Height: 4' Est. Timber Count: 28





Reverse View















AIG012

Age Group: 6-23 Months Capacity: 7 Structure Size: 11' x 2 ½' Use Zone: 24' x 15' Includes:

- Slide
- Bongos
- Finger Maze
- Stairs





AIGO21 Age Group: 6-23 Months

Capacity: 8 Structure Size: 11' x 6' Use Zone: 24' x 19' Includes:

- Slide
- Bongos
- Shape SpinnersStairs
- Stail
- Sound Cylinder and Bead Panel
 Arch Climber
- Arch Climber





AIG031

Age Group: 6-23 Months Capacity: 9 Structure Size: 11' x 8 ½' Use Zone: 24' x 21' Includes:

- Slide
- Bongos
- Spin and Find
- Stairs
- Texture Panel
- Texture Climber






Phase One

Structure: TFR0520XX Age Group: 6-23 Months Capacity: 5 Structure Size: 8' x 6' Includes:

- Stairs
- Slide
- Bubble Window
- Texture Panel
- Climber





Phase Two

Structure: TFR0533XX Age Group: 6-23 Months Capacity: 10 Structure Size: 12' x 8' Includes:

- Phase One
- Bridge
- Climber
- Stairs
- Activity Panels





Phase Three

Structure: TFR0518XX Age Group: 6-23 Months Capacity: 15 Structure Size: 14' x 15' Includes:

- Phase Two
- Crawl Tube Slide
- Activity Panels





Areas of Play

We are supporters of providing a variety of play areas — such as dramatic, nature and the outdoor classroom, music and art, and physical you can encourage child development using a variety of play types and bring

In This section

Dramatic Play	34
Classic Playhouses	3.
Modern Play Facades	
Play Vehicles	3
R-Town®	
Trike Track Play Stands	3
Trike Track Accessories	3
Nature & The Outdoor Classroom	40
Gardening	40
Science & Math	4
Water & Sand	
Creative Arts	4
Musical Play	4
Physical Play	40
New! Ascend Rope Climbers	4
Freestanding Climbers	4
Infant & Toddler Activities	
Balance, Sports, & Games	50
Motion	
Nature-Inspired	
Overhead Ladders	
Swings	



Dramatic Play Modern Play Facades













Pioneer Playhouse Model: 47104TT Dimensions: 5' x 5' x 7' Ages: 2-5



Barn Playhouse Model: 47219 Dimensions: 5' x 5' Ages: 2-5



Model: TFR0560XX Dimensions: 31/4' x 61/4' x 43/4' Ages: 2-5











Model: 47214

Flower Box 5' Playhouse Model: PLH10012XX

Tot Table and Chairs Model: 47210





Doctor's Office Model: DRM00046XX Dimensions: 125/8' x 83/4' x 41/2' Ages: 2-12



Model: DRM00054XX Dimensions: 10½' x 8½' x 4½' Ages: 2-12

Dramatic Play R-Town®









Mini Car Model: RECF0070XX Ages: 2-5 Clearance Zone: 10' x 10'



Tiny TugModel: RECF0083XX
Ages: 2-5
Clearance Zone: 17' x 13'



Metro School Bus Model: 49221 Ages: 2-12 Clearance Zone: 14' x 9 ½'



R-Town® Barn Model: 47505 Ages: 2-5 Dimensions: 4' x 4'



R-Town® Church Model: 47510 Ages: 2-5 Dimensions: 6' x 4'



R-Town® Fire House Model: 47511 Ages: 2-5 Dimensions: 6' x 4'



R-Town® School Model: 47504 Ages: 2-5 Dimensions: 6' x 4'



Off-Road Military Vehicle Model: RECF0032XX Ages: 2-12 Clearance Zone: 16' x 12'



Off-Road Truck Model: 49222 Ages: 2-12 Clearance Zone: 16' x 10'



Safari Off-Road Vehicle
Model: TFR0541XX
Ages: 2-12
Clearance Zone: 14' x 10'



R-Town® Rumblin' Racer
Post Mounted: 47506
Spring Mounted: 46519*
Ages: 2-12
*Use Zone: 17' x 16'



R-Town® Ambulance
Post Mounted: 47507
Spring Mounted: 46520*
Ages: 2-12
*Use Zone: 20' x 16'



R-Town™ School Bus Model: 47501 Ages: 2-12 Dimensions: 10' x 4'



Dramatic Play Trike Track Classic Play Stands & Villages

Gas Station Gas Station Stand Model: RECF0033XX Dimensions: 31/2' x 61/2'



Cafe Stand

Without!

Model: RECF0067XX

Dimensions: 33/4' x 4" x 61/2'



Post Office Stand Model: RECF0063XX Dimensions: 33/4' x 4" x 61/2' Ages: 2-12





Bakery Stand Model: RECF0065XX Dimensions: 33/4' x 4" x 61/2' Ages: 2-12



Dramatic Play Trike Track Accessories





3-Wheel Scooter Model: Win588 Ages: 4-5



Freestanding Gas Pump

Model: 49308FT

Ages 2-4 Tricycle Model: Win450 Ages: 2-4



Ages 3-6 Tricycle Model: Win451 Ages: 3-6



Low Tricycle Model: Win580 Ages: 1-4



Stop Sign Portable: 49301-P In-ground: 49301



Traffic Light Sign Portable: 49339-P In-ground: 49339



Yield Sign Portable: 49302-P In-ground: 49302



Custom Street Sign 2 Custom Street Names 12 Characters Max



Railroad Crossing Portable: 49304-P In-ground: 49304



Trike Parking Sign Portable: 49336-P In-ground: 49336



Do Not Enter Sign Portable: 49367-P In-ground: 49367



Directional Arrow Portable: 49338-P In-ground: 49338



No Trike Parking Sign Portable: 49335-P In-ground: 49335



Age Safety Sign 2-5 Year Old: TFR0668XX 5-12 Year Old: TFRO4966XX

Outdoor Classroom Gardening

Outdoor Classroom Science & Math











Trellis Model: RECF0073XX



Cedar Raised Planter Box 2' x 4'x 161/2": RECF0047XX 2' x 6' x 161/2": RECF0048XX



Full Pizza Garden Model: 49387 Diameter: 49" Ages: 2-12 Half Pizza Garden Also Available



Garden Bridge 6': RECF0040XX 8': RECF0041XX



Nature Play Sign Model: 49041



Climbing Vine Planter 3' Planter: 49662-3

5' Planter: 49662-5 Ages: 2-12



Green Wall Planter 3 Box: 49667

5 Box: 49666 Ages: 2-12



Quarter Circle Planter

Model: 49665 Ages: 2-12 Sold as a set of 3 Arrange in multiple configurations



Investigate and Discover Table Rain Gauge

Model: RECF0091XX Dimensions: 21/2' x 2' x 24" Ages: 2-5

Basic Weather Station

Model: RECF0052XX

Ages: 2-5




Model: 49030 Ages: 2-12




Deluxe Weather Station

Model: RECF0084xx Ages: 2-5



Solar System Panel

Model: RECF0053XX Ages: 2-12 Arrange planets based on their proximity to the sun, size, etc.



MathMagic Sandbox

6' Model: RECF0074XX 8' Model: RECF0075XX 10' Model: RECF0076XX Locate buried materials using a grid formula



Nature & Science Center

Model: RECF0062XX Ages: 2-5 Clearance Zone: 10' x 10'



Custom Outdoor Learning Center Designs

Custom Wording or Logo

Outdoor Classroom Water & Sand

Creative Arts Art & Tables

Deluxe Art Studio Model: 42301 Dimensions: 9' x 4'

Includes Easel with Supply Cup,

Lexan Painting Window, and Shelf













Art Mural Single Panel: 41116 Dual Panel: 41117



Fun Table

Ages: 2-5

Model: 90000006XX

INCLUSIVE **Universal Art Easel** Model: RECF0093XX Dimensions: 4' x 2'



Art Easel	45"	86"
Singled-Sided	RECF0034XX	RECF0035XX
Double-Sided	RECF0036XX	RECF0037XX






Art Easel Cups Model: 43201 Sold as a set of 10



Nesting Table & Chair Set Model: 46111 Ages: 2-5 Table Dimensions: 30" x 22"

Chair Dimensions: 15" x 15" x 15"



Storage and Activity Table Model: 46250 Dimensions: 3' x 3' x 2'

Music Play Outdoor Instruments

Music Play Outdoor Instruments











Model: MUSH-#-SM-SRP

Available in three sizes



Model: CPSO-#-SM-SRP

Tenor Tree Model: TREE-PM-SRP







Imbarimba Model: IMBA-IG-REC-SRP Includes In-Ground Mount Kit



Pegasus Model: PEG-IG-REC-SRP Includes In-Ground Mount Kit



Model: GRIF-IG-REC-SRP Includes In-Ground Mount Kit



Model: RHYT-IG-REC-SRP Includes In-Ground Mount Kit









Model: DUET-IG-REC-SRP Includes In-Ground Mount Kit



Solo with Aluminum Keys
Model: REC21781XX

Solo with Fiberglass Keys
Model: REC21779XX Model: REC21781XX Posts Sold Separately




Posts Sold Separately



Composer Model: REC21780XX Posts Sold Separately







Physical Play Infant Corner Boxes & Toddler Activities









Criss Cross

Model: 87000034XX Use Zone: 25' x 16' Height: 6' Ages: 5-12



4-Section Bubble Wall

2-5 Years: AFR0091XX 5-12 Years: EFR0069XX Use Zone: 14' x 30'

2-5 Years 2-Section (AFR0089XX) Also Available



Circle Bubble Wall

Model: EFR0071XX Use Zone: 26' x 26' Ages: 5-12



Literacy Cube

Model: 13322 Dimensions: 3' x 3' Ages: 6-23 Months




Mushroom Tunnel

Model: RECF0098XX Dimensions: 41/2" x 21/8" x 2" Ages: 6-23 Months, 2-5 Years



Movement & Texture Corner Box

Model: INF00038XX Dimensions: 3½' x 10½" Ages: 6-23 Months



Mole Hill

Model: 87000010XX Use Zone: 26' x 26' Height: 6' Ages: 5-12



Moon Crater

Model: TFR0655XX Use Zone: 21' x 21' Height: 4 ½' Ages: 2-12 Only available in colors shown



Hump Camel Climber

Use Zone: 17' x 14' **Single** Model: TFR16968XX Ages: 5-12

Junior (Pictured) Model: TFR16985XX Ages: 2-5



Counting Shapes Corner Box

Model: INF00039XX Dimensions: 3½' x 10½" Ages: 6-23 Months



Sights & Sounds Corner Box

Model: INF00037XX Dimensions: 3½' x 10½" Ages: 6-23 Months

Physical Play Balance, Sports, and Games

Physical Play Motion











Triple Toss

Ages: 2-12 Set of 3 Balls: SP85R_KIT Available in Red, Yellow, Blue, Green, and Tan

Post	Item Number
Without	TRT-03
Galvanized	TRT-05
Powder Coat	TRT-10



Adjustable Basketball Goal

Model: 99108 Stationary Goal (99107) Also Available







Half Play Spheres

Style	Size	Item Number
	14"	TFR0704XX
Half	20"	TFR0706XX
	28"	TFR0708XX
******	14"	TFR0705XX
Full	20"	TFR0707XX
	28"	TFR0709XX
	In-Ground	Mount Kit

In-Ground Mount Kit (TFR0716XX) and Surface Mount Kit (TFR0717XX) Sold



Soccer Goals Set

Model: 60019202XX Ages: 2-5, 5-12 Dimensions: 12' x 6' Height Includes Two Goals with Nets Replacement Nets MSC-1585XX



Use Zone: 15' 7" x 15' 7"

Cozy Pod Spinner

Model: TFR0638XX Use Zone: 22' x 22' Ages: 2-5, 5-12 Only Available in Colors Shown



Ages: 2-5 (>12" Install Height), 5-12 (>16" Install Height)


Style	Length	Use Zone	Item Number
Zig-Zag	9.75′	15′ x 22′	90021016XX
Straight	6′	13′ x 18′	90021006XX
Straight	8′	13′ x 20′	90021008XX

Physical Play Nature-Inspired

Physical Play Overhead Ladders













Ages: 2-12

Includes 5 Steps







Trapeze Ring Model: AFR0099XX Use Zone: 16' x 21' Ages: 5-12

Loop Rung

Ages: 5-12

Model: AFR0105XX

Use Zone: 16' x 21'



Over Under Model: AFR0166XX Use Zone: 21' x 18' Ages: 5-12



10' Track Glide Model: AFR0119XX Use Zone: 16' x 21' Ages: 5-12



Three Wheel Swinger Model: AFR0117XX Use Zone: 16' x 21' Ages: 5-12









Wavy Rung Model: AFR0115XX Use Zone: 16' x 21' Ages: 5-12



ADA Horizontal Ladder Model: TFR16928XX Use Zone: 23' x 16' Ages: 5-12



Jr. Horizontal Ladder Model: 90009000XX Use Zone: 24' x 15' Ages: 5-12









Physical Play Swings

Single Post Swing Frames

Constructed from either 5" (without shade) or 65%" (with shade) diameter steel, these frames feature an 8' height and are available with or without shade. The version with shade is IPEMA Certified and ASTM F1487-17 Compliant.

Without Shade

Bays	Item Number	Use Zone
1	TFR0628XX	24' x 32'
2	TFR0629XX	36′ x 32′
3	TFR0630XX	48′ x 32′
4	TFR0631XX	60′ x 32′

With Shade

Bays	Item Number	Use Zone
1	RSW23516G	24' x 32'
2	RSW3516G	36' x 32'
3	RSW46516G	48′ x 32′
4	RSW5816G	60′ x 32′

Arch Swing Frame

Constructed from 3.5" or 5" diameter steel, these frames feature an 8' height and are for use with swing seats or tire swings.

For Traditional Swing Seats

Post Size	e Bays	Item Number	Use Zone
	1	TFR3501XX	24' x 32'
	2	TFR3502XX	36′ x 32′
3.5"	3	TFR3503XX	48' x 32'
	4	TFR3504XX	60′ x 32′
	Add-A-Bay	TFR3500XX	Add 11' x 32'
	1	EFR0116XX	24' x 32'
	2	EFR0117XX	36' x 32'
5"	3	EFR0118XX	48′ x 32′
	4	EFR0119XX	60′ x 32′
	Add-A-Bay	EFR0120XX	Add 11' x 22'

Our tire swing frame is made from 5" steel tubing.

Bays	Item Number	Use Zone
1	90015991XX	22' x 28'
2	90015992XX	22' x 44'
3	90015993XX	22' x 59'
4	90015994XX	22' x 74'
Add-A-Bay	90945900XX	Add 11' x 22'



Standard Swing Frames

Constructed from 23/8" galvanized steel tubing with cast aluminum junctions, these swing frames feature an 8' or 10' height. The part numbers below are for galvanized frames. To order a powder coated frame for an upcharge, replace "XX" with "PC" in the part numbers below.

Available in an 8' height only.

Bays	Item Number	Use Zone
1	90015401XX	25' x 32'
2	90015402XX	36' x 32'
3	90015403XX	48′ x 32′
Add-A-Bay	90915400XX	Add 11' x 32'

Tri-Pod

neignt	Bays	item Number	ose Zone
	1	90015301XX	33' x 32'
8′	2	90015302XX	45′ x 32′
0	3	90015303XX	56′ x 32′
	Add-A-Bay	90015300XX	Add 11' x 32'
	1	90015311XX	36′ x 40′
10′	2	90015312XX	47′ x 40′
10	3	90015313XX	58′ x 40′
	Add-A-Bay	90015391XX	Add 11' x 32'



To-Fro Glider

The To-Fro Glider is designed for children aged 6-23 months. Swing seats (INF00058XX) sold separately. INFO0058XX includes two seats and chain sets.

Bays	Item Number	Use Zone
1	TFR0692XX	24' x 13'
2	TFR0693XX	36′ x 13′

Physical Play Swing Seats



Belt Seats

Our molded belt seats feature galvanized triangle hardware and high carbon steel spring inserts to resist vandalism. Available in red, yellow, green, blue, black, and tan. Galvanized or yellow PVC coated chain is available. Sold as a set of two.

Chain Type	Chain Link	Item Number
Galvanized	8′	90015108XX
Galvanized	10′	90015110XX
Yellow PVC	8′	90015208XX
	10′	90015210XX



Bucket Seats

Our full bucket seats feature high backs and full stainless steel inserts. These seats are available as for ages 24-47 months with 54" chain in red, yellow, green, blue, or black. Sold as a set of two.

Chain Type	Item Number
Galvanized	90015130XX
Yellow PVC	90015230XX



Tire Swing Seats

Our Tire Swing Seat includes one tire and all galvanized chain and hardware. Order one item number per bay. Tires are made from durable, black roto-molded plastic. Model: TFR0612XX



INCLUSIVE

Inclusive Swing Seat Set

This seat is designed for children aged 2-5 or 5-12 who need support to maintain a seated position. Each seat comes with galvanized chain. Available in any roto-molded plastic color with a yellow or beige brace. Ages 2-5 version pictured. Ages 5-12 does not feature leg support tabs.

Ages	Item Number
2-5	BSIS-25
5-12	BSIS-512



Beveled Swing Mat

Our 48" x 48" x 1 ½" swing mat is great for areas where loose fill surfacing is used to help minimize the displacement of surfacing. Model: WM-05

Structure Components

Customize your play structure to achieve your physical play and learning goals by using the structure components found on the following pages.

In This section

Slides 58 **Climbers & Stairs** 59 **Overhead Events** 61 **Deck Connectors** 62 Roofs & Integrated Shade 63 **Panels** 64



groundsforplay.com | **57**



Components Slides





Straight Slide 6' to 8' Deck Heights Ages: 2-5, 5-12



Wave Slide 3', 6', and 8' Deck Heights Ages: 5-12



4' Deck Height: Left & Right Turn 5' Deck Height: Right Turn Ages: 2-5, 5-12



MORE DESIGN OPTIONS! **Tube Slide** 2' to 8' Deck Heights Ages: 2-5, 5-12 Available as Straight, 90° Turn, Zig-Zag, and Spiral



Single Chute Slide

2' to 8' Deck Heights

Alpine Thunder Slide Available for 6' Deck Heights Available in Red, Yellow, Blue, Green, and Tan

Components Climbers





Ladder Panel Climber 16" & 2' to 4' Deck Heights Ages: 2-5, 5-12



Zipper Climber Single: 2' to 8' Deck Heights Double: 3' to 8' Deck Heights Ages: 2-5, 5-12



Rockin' Ramp 2' to 5' Deck Heights Ages: 2-12



Ring Climber 3' Decks Only Ages: 2-5, 5-12



Perceptual Motor Wall 3' to 5' Deck Heights Ages: 2-5, 5-12



Snake Climber 4' to 5' Decks Ages: 5-12



Loop Climber 3' and 4' Decks Only Ages: 2-5, 5-12



Pent Climber 3' and 5' Decks Only Ages: 2-5, 5-12

Mountain Climber 3' and 5' Decks Only Ages: 5-12

Chain Link Climber 4' and 5' Decks Only Ages: 2-5, 5-12

PVC Cargo Net Climber 4' to 5' Decks

Ages: 2-5, 5-12



Clover Climber 2' to 8' Decks Ages: 2-5, 5-12

Double Slide


Ages: 2-5, 5-12

3' to 7' Deck Heights

Components Climbers & Steps

Components Overhead Events


























Single & Double Trapeze Ring
Straight and 90° (Single Only)
8' Length
Ages: 5-12



3-Wheel Swinger 8' Length Ages: 5-12



Deep Rung Arch 3' to 6' Decks Ages: 2-5, 5-12



Half Moon Climber 4' and 6' Decks Only Ages: 5-12



Sliding Pole 2' to 8' Deck Heights Ages: 5-12



Coil Climber 3' to 8' Deck Heights Ages: 2-5, 5-12



Steps1' to 4' Deck Heights



Loop Rung

Straight, 90°

8' Length

Ages: 5-12

Single & Double Parallel Bar 8' Length Ages: 5-12



Wavy Deep Rung 8' Length Ages: 5-12



60 Grounds

Components Deck Connectors

Arch Bridge 4' and 8' Lengths Ages: 2-12



Components Integrated Shade & Roofs







Flat Bridge 6' Length



Clatter Bridge 8' Length



Fixed Lily Pad Bridge Suspended Version (Ages 5-12) Available



Straight Crawl Tube 2', 4', 6', and 8' Lengths Ages: 2-5, 5-12



Panel Shingle Roof Square and Rectangle Decks Single and Double Options Available



Slat Roof Square and Rectangle Decks



Ridge Gable Roof Square and Rectangle Decks



Shingle Gable Roof Square and Rectangle Decks



Zig-Zag Crawl Tube

Left or Right Zig-Zag Ages: 2-5, 5-12 Decks: Equal Height Offset by 24"

Curved Crawl Tube

60° and 90° Curve Degrees Ages: 2-5, 5-12

Wavy Crawl Tube

Ages: 2-5, 5-12 Length: 8'

Inclined Crawl Tube

12" and 24" Incline Ages: 2-5, 5-12 Decks: Unequal Height



Square Shingle Roof Square and Rectangle Decks



Hexagon Shingle Roof Hexagon Decks



Arched Hexagon Roof Hexagon Decks



PID YOU KNOW? Most of our standard bridges and ramps allow us to connect decks of differing heights.

Components Panels













Ages: 2-12

Clock/Sign Language Ages: 2-12



Counting

Ages: 2-12

Honeybee Ages: 2-12



Starburst Ages: 2-12



Tic-Tac-Toe Ages: 2-12




Bus Ages: 2-12 Includes two steering wheels One or two steering wheels



Driving Ages: 2-12 available



Ages: 2-12



Slotted Ages: 2-12



Ages: 2-5



Airplane Ages: 2-12 Includes two control wheels



Frog Crawl Through Ages: 2-12 Ground-Level Only



Nature Ages: 2-12



Solar System Ages: 2-12



Radial Engine NEW Ages: 2-12







Snake Ages: 2-12



Toucan Ages: 2-12



Puppet Ages: 2-12



Texture Ages: 2-12



Bead Ages: 2-12



Bell Ages: 2-12



Castle Ages: 2-12



Ground-Level Only



Ground-Level Only Aluminum or Fiberglass Keys







Porthole Wave Ages: 2-12

Half Drive Shift

Ground-Level Only

Ages: 2-12



Ages: 2-12



Bubble Ages: 2-12



Ages: 2-12



Sound Cylinder Ages: 2-12 Single or Double



Shape Spinner Ages: 2-12



Porthole Dolphin

Ages: 2-12

Half Gear Ages: 2-12 Ground-Level Only



Half Push Ages: 2-12 Ground-Level Only



Half Yoke Motion Ages: 2-12 Ground-Level Only



NEW Kaleidoscope Panel



NEW Spin Maze Panel Ages: 2-12



Ages: 2-12



NEW Frog Tile Slide Panel* NEW Snake Tile Slide Panel* Ages: 2-12











Ages: 2-12

NEW Solar Explorer Panel* NEW Pond Explorer Panel*





Activity panels with an asterisk (*) can be double-sided. Pair two panels with an asterisk to create your own double-sided activity panel.

Double-Sided Activity Panels

Ages: 2-12

NEW Flower Explorer Panel* NEW Spider Explorer Panel* Ages: 2-12



Surfacing

Surfacing Surfacing & Accessories

Since safety is our first concern, we recommend only the surface materials below which have proven track records.

Poured In Place (PIP)

Visual	Initial	Maintenance	Easily	Expected
Appeal	Investment	Required	Accessible?	Longevit
••••	••••	••••	••••	••••

High Traffic Use, Add Graphics, High Wear Resistance

Bonded Rubber Mulch

Visual	Initial	Maintenance	Easily	Expected
Appeal	Investment	Required	Accessible?	Longevity
••••	••••	••••	••••	••••

Recycled Rubber, Medium Wear Resistance, Color Selection

Rubber Tiles

Visual	Initial	Maintenance	Easily Accessible?	Expected
Appeal	Investment	Required		Longevity
••••	••••	••••	••••	••••

Easy to Repair, High Wear Resistance, Color Selection

Synthetic Turf

Visual	Initial	Maintenance	Easily	Expected
Appeal	Investment	Required	Accessible?	Longevity

2-Layer System, Medium Wear Resistance

Loose Fill Rubber Mulch

Visual	Initial	Maintenance	Easily	Expected
Appeal	Investment	Required	Accessible?	Longevity
			••••	

Shredded Rubber, High Wear Resistance, High Impact Attenuation Rating, and Mold, Animal, and Insect Resistant

Engineered Wood Fiber

Visual	Initial	Maintenance	Easily	Expected
Appeal	Investment	Required	Accessible?	Longevity
				•

All-Natural, Use of Wear Mats Recommended

Surfacing Accessories



12" Tall Landscape Timbers

Length	Item Number
4′	LT-4
6′	LT-6
Border Cap	BMP-0002XX
Timber Stake	LTH



4' x 8" Landscape Timber

Timber Model: LT-4-8 Stake Model: LTH



ADA Accessible Ramp System

Our ADA ramp systems, made from roto-molded plastic, allow for easier transitions into your timber-bordered recycled play environment. These systems are designed for timbers that are 12" high. These systems also include stakes (9 for full, 6 for half) and 2 end caps.

-	Item Number	
Full	TCF0078XX	120" x 43"
Half	TCF0077XX	60" x 43"















Engineered Wood Fiber

Product showease

Complete Your Space With Just One Company

Shade

We offer shade structures for nearly every application. Shop our collection when looking for:

- Playground Shades
- Site Furnishing Shades
- Picnic Area Shades
- Bleacher Shades
 - And More!

Shelter

We offer shelter structures to provide protection from both the weather and the sun. Shop our collection when looking for:

- Picnic Pavilions
- Bleacher Covers
- Wayfinding Kiosks
 - And More!

Site Furnishings

We offer a full line of benches, tables, and trash receptacles in a variety of styles. Shop our collection when looking for:

- Tables
- Benches
- Trash Receptacles
 - Bike Racks
 - And More!

Ask your representative for more information!







We Make It Easy In buy

Ordering is as easy as contacting your local Grounds For Play sales representative. They'll answer any questions and provide up-to-date pricing and shipping information for our products. To start, visit groundsforplay.com/contact-a-rep to find your local representative's contact information. Grounds For Play also makes it easy for clients to buy by utilizing reputable national purchasing cooperatives.

State-Specific Opportunities



The NASPO ValuePoint Cooperative Purchasing Organization is available to all public agencies, institutes of higher education, political subdivisions, and, in some cases, non-profit organizations in states who have obtained a NASPO ValuePoint Participating Addendum. Currently, we have partnered with the following states under NASPO ValuePoint Master Agreement No.: 6482.

- Montana
 - North Dakota
- Oregon
- Washington
- South Carolina
- Virginia

Utah

South Dakota

- Kansas New Mexico
- New York And More!

For Businesses



A UNITED COMMUNITY BANK COMPANY

Navitas Credit Corporation is a nationwide direct lender with a focus on small and medium sized businesses. Navitas provides capital in the form of leases and loans to assist businesses in acquiring the equipment and financing they need to grow and stay competitive.

For Government Entities



BuyBoard is an online purchasing cooperative that gives its members best pricing on products, equipment, and services that they use every day. Members save time and resources because the competitive procurement process has already been completed. BuyBoard's nationwide members include those in public schools, municipalities, county government, and all types of local government agencies and non-profits.



HGACBuy is a cooperative purchasing network available to local governments, state agencies, and certain non-profit corporations nationwide. All products offered by HGACBuy have been awarded through a public competitive process. To become a member of HGACBuv and to view products like ours, visit hgacbuy.org.



GSA Advantage!® is an online cooperative purchasing program that provides access to thousands of products and services. State and local government entities can take advantage of this buying power to get you the best value and price.

For Everyone

Our representatives have extensive knowledge and training in early childhood and Grounds For Play products. Find your closest representative by visiting groundsforplay.com and clicking "Contact a Rep."



We Meet or Exceed industry standards

In our effort to provide safe and quality play products for children, our products meet or exceed the standards set forth by the below organizations. Additionally, we follow our own strict in-house standards and guidelines.

Safety & Accessibility Standards



International Play Equipment Manufacturers Association"

In the interest of playground safety, the International Play Equipment Manufacturers Association (IPEMA™) provides a third-party certification service whereby a designated independent laboratory, TÜV SÜD America Inc., (TÜV), validates an equipment manufacturer's certification of conformance to the standards below.

- ASTM1487-17, excluding sections 7.1.1, 10 and 12.6.1: Standard Consumer Safety Performance Specification for Playground Equipment for Public Use
- CAN/CSA-Z614-14, excluding clauses 9.8, 10, and 11: Children's Playspaces and Equipment

A list of current validated products may be viewed on their website at www.ipema.org. Grounds For Play is a member of this organization.

ASTM International

ASTM International, formerly American Society for Testing and Materials, is an independent and world renowned developer of technical standards utilized in testing a multitude of products. ASTM developed F1487 Standard Consumer Safety Performance Specifications for Playground Equipment for Public Use. The current standard is F1487-11, published in 2011.



U.S. Consumer Product Safety Commission

The U.S. Consumer Product Safety Commission (CPSC) presents safety guidelines through the

publication of their Public Playground Safety Handbook. This handbook promotes greater safety awareness among those who purchase, install, and maintain public playground equipment. The handbook can be viewed on the CPSC's website, cpsc.gov.



United States Access Board

The U.S. Access Board is a federal agency that promotes equality for people with disabilities.

They've developed guidelines and standards for built environments, such as playgrounds.

In-House Standards

At Grounds For Play, we only use quality playground materials. Our playgrounds are proudly manufactured in the USA and are built to last.

To ensure the safest play for your children, we offer:

- Quality control inspection on all parts and shipments
- All products must pass inspection in our IPEMA Certified In-House Testing Facility
- In-house production of most products
- All products meet or exceed CPSC, ASTM, and ADA Safety Guidelines
- On-staff CPSI certified employees
- Local field factory trained installation technicians

Quality Standards



Allied Tube & Conduit®

Some of our products constructed from Allied's heavy-wall galvanized steel tubing,

which is protected by Allied's patented Flo-Coat® process that uses triple-coat corrosion protection (zinc, conversion coating, and clear organic topcoat) to provide a smooth, shiny product appearance that is unmatched in terms of strength and durability



GreenCircle Certified

Our recycled post and decking supplier has the Recycled Content Certification by GreenCircle. This

certification qualifies their compliance with all Federal Trade Commission (FTC) 2012 Green Guidelines. Our posts and decks also meet criteria for the USGBC LEED requirements.



Our warranty guarantees years of unlimited fun.

Grounds For Play (GFP) warrants that its product will be free from defects in materials and workmanship as well as maintain structural integrity for the periods listed below from the date of invoice and once GFP has been paid in full. This warranty is in effect only if the product has been assembled and installed strictly in accordance with the setup instructions provided by GFP, good construction practices, and has been subjected only to normal use and exposure.



Lifetime* Warranty on playground steel and recycled posts, all stainless steel hardware, c-line fittings, and aluminum post caps

15-Year Limited Warranty on playground pipes, rungs,

loops and rails, roto-molded plastics, HDPE plastic

sheets, punched steel decks, and recycled decks



10-Year Limited Warranty on shade fabric



5-Year Limited Warranty on standard powder coat* and playground netting cable



1-Year Limited warranty on moving parts, shade cables, and materials not covered above

Limited Warranty: Structural Steel

GFP offers a *Lifetime Limited Warranty on structural steel frames against failure due to rust-through corrosion under normal environmental conditions. Should the parts need to be replaced under the warranty. GEP will manufacture and ship new replacement parts at no charge for the first ten years, thereafter pro-rated at 50% for the second ten years and 25% from there on. Workmanship is warranted for a period of five years. This steel warranty shall be void if damage to the steel is caused by the installer or from physical damage, damage by salt spray or sprinkler systems, contact with chemicals, chlorine, pollution, misuse, vandalism, or any act of God.

*Limited Warranty: Powder Coat

GFP offers a 5-year Limited Warranty for standard powder coating or a 7-year Limited Warranty for Corrosion Defense Package powder coating to the original purchaser. This Limited Warranty is for factory applied finish only. Damage occurring from shipping, erection, vandalism, accidents, or field modification is not covered in this limited warranty and will require field touch-up immediately and periodically thereafter. The owner must report any defect in powder coat at the time the installation is completed. Not covered by this Limited Warranty are acute angles, welds, and end plates.

The Limited Warranty for powder coating provides the following after a 5-year (standard) or 7-year (Corrosion Defense Package) exposure period when applied according to the recommendations listed on the product's technical data sheet and appropriate surface preparation has been utilized.

- The coatings shall retain their original color with a ΔE of <7.5 units for high chroma colors (yellows, reds, oranges, etc.) and a ΔE of<5.0 units for low chroma colors, when tested in accordance with ASTM D 2244.
- The coating shall retain a minimum of 50% of its original gloss level after washing, when tested in accordance with ASTM D 523.
- The coating shall exhibit chalking no worse than numerical rating of 6, when evaluated in accordance with ASTM D 659-80.

Stainless Steel Series Powered by Playdale Playgrounds

Playdale Playgrounds warrants its products to the original customer to be free from structural failure due to defect in materials or workmanship during normal use and installation in accordance with the published specifications. The warranty shall commence on the date of the invoice and terminate at the end of the period on the full warranty statement. The warranty is valid only if the products are installed properly and in conformance of the specifications, installation guides, Playdale Playgrounds design layout, and properly maintained in accordance with the maintenance schedule provided within the installation instructions. Playdale Playgrounds reserves the right to accept or reject any claim in whole or in part. Playdale Playgrounds will not accept the return of any product without prior approval by Playdale management.

Pricing, Cancellation, Return, and Shipping Policies

All prices are F.O.B. factor and do not include freight, installation, shipping and handling, surfacing, or applicable taxes. All prices listed were current at the time of printing and in U.S. currency, Prices are subject to change without notice. To view our return policy, please visit superiorrecreational products.com/returns. For information on Return Material Authorizations please call 1.800.552.7529. To view our shipping policy, please visit groundsforplay.com/shipping. For any further information, please call 1.800.552.7529

*For the purpose of this warranty, lifetime encompasses no specific term of years, but rather that seller warrants to its original customer for as long as the original customer owns the product and uses the product for its intended purpose that the product and all parts will be free from defects in materials and manufacturing workmanship. This warranty does not cover damage caused by vandalism, misuse or abuse, altered or modified parts, or cosmetic damage such as scratches, dents, or fading or weathering and normal wear and tear. This warranty is valid only if the structures are installed in conformity with instructions provided by GFP using approved GFP parts. GFP will deliver the repaired or replacement part or parts to the site free of charge, but will not be responsible for labor or the labor costs of replacement. Warranty claims must be filed within the applicable warranty period and accompanied by a sales order or invoice nun



Color Options

Metal Colors

Gloss Matte or Metallic

Plastic Colors



Activity Panel & Panel Colors



Shade Colors



Recycled Deck & Post Colors



Colors shown on this page are only representations of our colors. Please ask your representative for actual color samples.

Color Schemes





19535 Haude Rd. Spring, TX 77388

800.451.4869 info@kraftsmanplay.com

kraftsmanplay.com















