

memory makers skil hullers CHAMPIONS OF CHILDHOOD

For over four decades, we've combined research, sustainable practices, and a **passion for play** to deliver playground environments that:

- Foster physical, cognitive, and social-emotional growth
- **Prioritize safety** without compromising fun
- Embrace environmental responsibility
- Adapt to the unique needs of each client

Get started on your dream playground by visiting groundsforplay.com/find-a-rep to find your local sales representative, who can answer questions and provide pricing and shipping information.

what's inside

20

Playground Structures 42

Freestanding Equipment 64

Structure Components



Balanee

Dramatic Play

Promotes creativity, social skills, problem-solving, and emotional understanding by encouraging children to explore roles, scenarios, and perspectives.

Physical Play

Enhances children's motor skills, balance, coordination, and physical fitness while fostering social interaction and problem-solving abilities.





We are grounded in child development, allowing us to create balanced spaces that support various types of play. Our playgrounds:

- Go beyond physical activity
- Align with your program's goals
- Address age-specific needs

Music & Art Play

Fosters creativity, selfexpression, fine motor skills, and cognitive development while enhancing emotional regulation and critical thinking.

Nature & Outdoor Classroom

Nurture children's creativity, curiosity, and problem-solving skills while promoting physical health, sensory development, and a deeper connection to the environment.

Solar System

Nature & Outdoor

We Learning









Outdoor classrooms spark creativity, encourage exploration, and promote hands-on learning. We offer outdoor classroom equipment that supports diverse learning styles, enhances social interaction, and creates an engaging space for multidisciplinary education.

The Goddard School Swedesboro, New Jersey







It begins with an initial site plan that captures your vision and goals.

Step 3

Our experienced team manufactures the equipment and manages the installation process, delivering your dream playground.

Step 2

A conceptual rendering brings the design to life, so you and other key stakeholders have a clear vision of the space.

We guide you through every step of your playground design process, ensuring a seamless journey from concept to creation to deliver a stunning, safer, and ready-to-play playground tailored to your needs. See some of our installed creations on the next few pages.



groundsforplay.com | 9









Once you see the benefits, you'll understand why recycled plastic posts and decking for playgrounds are becoming more and more popular for schools, parks, housing communities, and child cares.

why choose recycled plastic?



Look of wood without the maintenance — no splinters or rotting



Made from **non-toxic** and environmentally-friendly materials



Decks and posts do not rust or flake



Equally as strong as wood playgrounds

did you know?





Our playgrounds are made from 95% reclaimed postconsumer plastic products such as milk jugs! Every pound of recycled plastic lumber equates to 8 recycled milk containers. Additionally, the posts and decking can be recycled at the end of their life.

Certified Green Our lumber supplier, Tangent®, has achieved recycled content verification from GreenCircle Certified. Their certification is in compliance with ISO 14021:2016 definitions and the guidelines in the 2012 Federal Trade Commission (FTC) Green Guides for recycled content. Our posts and decks meet criteria for the USGBC LEED requirements.

Rendering for illustrative purposes only.





Marine borers, salt spray, UV rays, and unwanted playground rust beware. You're no match for our playgrounds.



Built-In Resistance Our posts and decks resist marine borers and salt spray.



UV Additives Most of our components, as well as our shade fabric, either have UV additives or are UV stabilized to resist fading against that hot coastal sun.



Extra Protection Options Our metal components can have an extra-protection coating to protect against salt spray and the coastal air.

Learn more about our playground materials at groundsforplay.com/our-materials.



We design playground structures that inspire growth and creativity. By blending thoughtful research, eco-friendly methods, and a **deep love for play**, we create playgrounds that:

- Promote physical activity, cognitive exploration, and social connection
- Balance top-tier safety standards with endless fun
- Reflect a commitment to protecting the environment
- Cater to the distinct vision and needs of every client

in this section

| Themed Playgrounds | 22 |
|------------------------|----|
| R-Town® Cottages | 22 |
| Woodland Wonders | 24 |
| Fairytale Fortresses | 25 |
| 5-12 Years | 26 |
| 2-12 Years | 30 |
| 2-5 Years | 34 |
| 6-23 Months | 38 |
| Sprout Stations | 38 |
| Adventures in Growing® | 40 |
| Tot-Trek® | 41 |







FXR-COT-205-0187

Age Group: 2-5 Years Capacity: 10-15 Structure Size: 22' x 16' Use Zone: 35' x 28' Fall Height: 4' Est. Timber Count: 27













GFP-30474

Age Group: 5-12 Years Capacity: 45-50 Structure Size: 36' x 26' Use Zone: 48' x 38' Fall Height: 7' Est. Timber Count: 39



Ages 5-12 Years

GFP-30473

Age Group: 5-12 Years Capacity: 35-40 Structure Size: 28' x 23' Use Zone: 40' x 35' Fall Height: 7' Est. Timber Count: 31





GFP-30475

Age Group: 5-12 Years Capacity: 80-90 Structure Size: 66' x 30' Use Zone: 58' x 42' Fall Height: 7' Est. Timber Count: 45





Age Group: 5-12 Years Structure Size: 34' x 29' Est. Timber Count: 42 **Available Without Shade**

GFP-20316-1

Reverse View

GFP-30099-4


Capacity: 55-59

Fall Height: 7'

GFP-30099-3

Use Zone: 46' x 41'

Age Group: 5-12 Years Capacity: 40-45 Structure Size: 32' x 29' Use Zone: 44' x 41' Fall Height: 7' Est. Timber Count: 40











GFP-30281

Age Group: 2-12 Years Capacity: 30-35 Structure Size: 28' x 19' Use Zone: 40' x 3' Fall Height: 4' Est. Timber Count: 30



Reverse View

Ages 2-12 Years

GFP-30424

Age Group: 2-12 Years Capacity: 40-45 Structure Size: 36' x 14' Use Zone: 48' x 26' Fall Height: 5' Est. Timber Count: 33



Reverse View

GFP-10013

Age Group: 2-12 Years Capacity: 25-30 Structure Size: 22' x 19' Use Zone: 34' x 31' Fall Height: 6' Est. Timber Count: 27

Available Without Shade GFP-10013-1



Reverse View



GFP-30423

Age Group: 2-12 Years Capacity: 30-35 Structure Size: 26' x 18' Use Zone: 38' x 30' Fall Height: 5' Est. Timber Count: 29



Age Group: 2-12 Years Capacity: 45-50 Structure Size: 27' x 21' Use Zone: 39' x 33' Fall Height: 4' Est. Timber Count: 31





GFP-10044-3 Age Group: 2-5 Years Capacity: 25-30 Structure Size: 17" x 16' Use Zone: 29" x 28' Fall Height: 4' Est. Timber Count: 25

GFP-30330-2

Age Group: 2-5 Years Capacity: 30-35 Structure Size: 25' x 16' Use Zone: 27' x 37' Fall Height: 4' Est. Timber Count: 28



Reverse View

GFP-30211

Age Group: 2-5 Years Capacity: 50-55 Structure Size: 32' x 21' Use Zone: 44' x 33' Fall Height: 6' Est. Timber Count: 35

Available Without Shade GFP-30211-1





Ages 2-5 Years

GFP-30317-1

Age Group: 2-5 Years Capacity: 35-40 Structure Size: 22' x 17' Use Zone: 34' x 29' Fall Height: 3' Est. Timber Count: 27





GFP-30426

Age Group: 2-5 Years Capacity: 50-55 Structure Size: 17' x 20' Use Zone: 29' x 32' Fall Height: 6' Est. Timber Count: 27







GFP-30221-1

Age Group: 2-5 Years Capacity: 30-35 Structure Size: 21' x 18' Use Zone: 33' x 30' Fall Height: 4' Est. Timber Count: 28









Age Group: 6-23 Months Capacity: 20 Structure Size: 15' x 15' Use Zone: 17' 6" x 19' 3" Fall Height: 30"









INFO0087XX NEW

Age Group: 6-23 Months Capacity: 20 Structure Size: 12' x 12' Use Zone: 18' x 18' Fall Height: 24"



Reverse View

















AIG012

Age Group: 6-23 Months Capacity: 7 Structure Size: 11' x 2 ½' Use Zone: 24' x 15' Includes:

- Slide
- Bongos
- Finger Maze
- Stairs





TFR0520XX

Age Group: 6-23 Months Capacity: 5 Structure Size: 8' x 6' Includes:

- Stairs
- Slide
- Bubble Window
- Texture Panel
- Climber



AIG021

Age Group: 6-23 Months Capacity: 8 Structure Size: 11' x 6' Use Zone: 24' x 19' Includes:

- Slide
- Bongos
- Shape SpinnersStairs
- Sound Cylinder and Bead Panel
- Arch Climber



TFR0533XX

Age Group: 6-23 Months Capacity: 10 Structure Size: 12' x 8' Includes:

- Phase One
- Bridge
- Climber
- Stairs
- Activity Panels



AIG031

Age Group: 6-23 Months Capacity: 9 Structure Size: 11' x 8 ½' Use Zone: 24' x 21' Includes:

- Slide
- Bongos
- Spin and Find
- Stairs
- Texture Panel
- Texture Climber





TFR0518XX

Age Group: 6-23 Months Capacity: 15 Structure Size: 14' x 15' Includes:

- Phase Two
- Crawl Tube
- Slide
- Activity Panels





We are supporters of providing a variety of play areas to promote **balanced play.** Explore this section to see how you can encourage child development using a variety of play types and bring education outdoors.

in this section

| Dramatic Play | 44 |
|------------------------------------|----|
| Playhouses & Accessories | 44 |
| Play Facades | 45 |
| Play Vehicles | 46 |
| R-Town® | 47 |
| Trike Track Play Stands & Villages | 48 |
| Trike Track Accessories | 49 |
| Outdoor Classroom | 50 |
| Gardening & Science | 50 |
| Science & Math | 51 |
| Seating | 52 |
| Creative & Sensory Play | 52 |
| Art Easels | 52 |
| Water Tables & Sandboxes | 53 |
| Music Instruments | 54 |
| Toddler & Infants | 56 |
| Physical Play | 56 |
| Toddler & Infants | 56 |
| Sports & Games | 57 |
| Climbers | 58 |
| Balance | 60 |
| Motion | 61 |
| Swings | 62 |






















Model: RECF0161XX Dimensions: 5' x 5' Ages: 2-5



Model: TFR0560XX Dimensions: 31/4' x 61/4' x 43/4' Ages: 2-5











Freestanding Sink & Stove Model: RECF0096XX



Integrated Sink & Stove Model: RECF0137XX



Flower Box For 5' Playhouses Model: RECF0139XX



Tot Table and Chairs Model: RECF0140XX





Doctor's Office Model: DRM00046XX Dimensions: 125/8' x 83/4' x 41/2' Ages: 2-12



Cafe Model: DRM00054XX Dimensions: 10½' x 8½' x 4½' Ages: 2-12











Off-Road Military Vehicle
Model: RECF0032XX
Ages: 2-12
Clearance Zone: 16' x 12'



Tiny TugModel: RECF0083XX
Ages: 2-5
Clearance Zone: 17' x 13'



Metro School Bus Model: 49221 Ages: 2-12 Clearance Zone: 14' x 9 ½'



R-Town® Barn Model: 47505 Ages: 2-5 Dimensions: 4' x 4'



R-Town® Church Model: 47510 Ages: 2-5 Dimensions: 6' x 4'



R-Town® Rumblin' Racer Post Mounted: 47506 Spring Mounted: 46519* Ages: 2-12 *Use Zone: 17' x 16'



R-Town* Ambulance Post Mounted: 47507 Spring Mounted: 46520* Ages: 2-12 *Use Zone: 20' x 16'



AND THE ROPE OF THE PARTY OF TH


Off-Road Truck Model: 49222 Ages: 2-12 Clearance Zone: 16' x 10'




Safari Off-Road Vehicle Model: TFR0541XX Ages: 2-12 Clearance Zone: 14' x 10'



R-Town™ School Bus Model: 47501 Ages: 2-12 Dimensions: 10' x 4'



R-Town* Colonial Cottage Model: 47508 Ages: 2-5 Dimensions: 6' x 4'














In-ground: 49301



In-ground: 49339



Portable



Post Office Stand Model: RECF0063XX

Dimensions: 33/4′ x 4″ x 61/2′ Ages: 2-12



Gas Station Stand Model: RECF0033XX

Dimensions: 3½' x 4" x 6½' Ages: 2-12



Cafe Stand

Model: RECF0067XX Dimensions: 33/4' x 4" x 61/2' Ages: 2-12



Ages 3-6 Tricycle

Model: Win451 Ages: 3-6



Yield Sign

Portable: 49302-P In-ground: 49302



Low Tricycle

Model: Win580 Ages: 1-4



Railroad Crossing

Portable: 49304-P In-ground: 49304



3-Wheel Scooter

Model: Win588 Ages: 4-5



Do Not Enter Sign

Portable: 49367-P In-ground: 49367



Ages 2-4 Tricycle

Directional Arrow

Portable: 49338-P In-ground: 49338







Custom Street Sign

2 Custom Street Names 12 Characters Max



Trike Parking Sign

Portable: 49336-P In-ground: 49336



No Trike Parking Sign

Portable: 49335-P In-ground: 49335



Age Safety Sign


2-5 Year Old: TFR0668XX 5-12 Year Old: TFRO4966XX













Green Wall Planter

3 Box Model: RECF0129XX 5 Box Model: RECF0114XX Ages: 2-12



Raised Planter Box

2' x 4' x 161/2": RECF0047XX 2' x 6' x 161/2": RECF0048XX



Full Pizza Garden

Model: RECF0110XX Diameter: 49" Ages: 2-12 Half Pizza Garden Also Available



Quarter Circle Planter

Model: 49665 Ages: 2-12 Set of 3 with Flexible Configuration







Ages: 2-12



Nature Play Sign Model: 49041



Trellis Model: RECF0073XX Dimensions: 5' x 4' x 7'



Garden Bridge

6' Model: RECF0040XX 8' Model: RECF0041XX




Deluxe Weather Station

Model: RECF0084XX Ages: 2-5



Nature & Science Center

Model: RECF0062XX Ages: 2-5 Clearance Zone: 10' x 10'



MathMagic Sandbox

6' Model: RECF0074XX 8' Model: RECF0075XX 10' Model: RECF0076XX Ages: 2-12



Custom Sign

Custom Wording or Logo

outdoor classroom & creative play Seating & Art Easels

Developmental Benefits Provides Emotional Expression

Water Tables & Sandboxes

Developmental Benefits • Helps Regulate Emotions Develops Sensory Processing Skills












INCLUSIVE **Universal Art Easel** Model: RECF0093XX Dimensions: 4' x 2'



Art Easel Cups Model: 43201 Sold as a Set of 10



Fun Table Model: 90000006XX Ages: 2-5




Storage and Activity Table Model: RECF0143XX Dimensions: 3' x 3' x 2'





Ages: 6-23 Months





4' Log Bench Model: 4LB Dimensions: 4' x 2'



Nesting Table & Chair Set Model: 46111 Ages: 2-5



NEW Bench With Back Rest Model: REC20149XX 6' Length 18" Seat Height



NEW Bench Without Back Rest Model: REC20150XX 6' Length 18" Seat Height

Nearby Water Source Required A water source is required for most of our water play equipment. Ask your Design Consultant for details.


52 Grounds groundsforplay.com | 53

Crecille & Sensor Musical Instruments



Musical Instruments















Composer Model: REC21780XX Posts Sold Separately



Solo with Aluminum Keys Model: REC21781XX Posts Sold Separately



Solo with Fiberglass Keys Model: REC21779XX Posts Sold Separately



Glockenspiel Model: RECF0054XX In-Ground Mount



Imbarimba Model: IMBA-IG-REC-SRP Includes In-Ground Mount Kit



Caterpillar Model: CATR-#-SRP In-Ground or Surface Mount



Griffin Model: GRIF-IG-REC-SRP Includes In-Ground Mount Kit



Rhythm Model: RHYT-IG-REC-SRP Includes In-Ground Mount Kit



Calypso Model: CPSO-#-SM-SRP Green (G) or Gray (S) Posts



Tenor Tree Model: TREE-PM-SRP



Single Post Bongos Model: RECF0156XX Portable




Harmony Hive Model: HIVE-IG-SRP In-Ground Mount





Toddler Sizes Also Available



INCLUSIVE Inclusive Mallets Available

sensory & physical play Infant & Toddler













Tether BallBasketModel: 60019301XXAdjustakAges: 2-12Stationa

Basketball Goal
Adjustable Model: 99108 (Pictured)
Stationary Model: 99107



Counting Shapes Corner Box

Model: INF00039XX Dimensions: 3½' x 10½" Ages: 6-23 Months



Sights & Sounds Corner Box

Model: INF00037XX Dimensions: 3½' x 10½" Ages: 6-23 Months



Literacy Cube

Model: 13322 Dimensions: 3' x 3' Ages: 6-23 Months



NEW

GaGa Ball Game Pit

20' Wide, In-Ground Ages: 2-5, 5-12




Junior Soccer Goal Set

Model: 60019202XX Ages: 2-5, 5-12 Dimensions: 12' x 6' Height





















9' Ascend Web Whirl Model: RC-1200SR Ages: 5-12 Use Zone: 18' 7" x 18' 7"

Fall Height: 4'


Small Climbing Boulder Model: GRN-SM Use Zone: 18'1" x 17'7" Height: 3' Ages: 2-12



Ages: 5-12 Use Zone: 26' 7" x 24' 7" Fall Height: 6'



Moon Crater Model: TFR0655XX Ages: 2-12 Use Zone: 21' x 21' Height: 4 ½'



Ascend Arch Model: RC-909SR Ages: 5-12 Use Zone: 25' 6" x 25' 6" Fall Height: 6'



Climb and Discover Cave Ages: 2-12 Use Zone: 20' x 21' Primary Colored Hand Holds: TFR0613XX Natural Colored Hand Holds: TFR0614XX









Developmental Benefits

• Builds Confidence

• Helps Develop Problem Solving Skills





Use Zone: 38' x 16' Fall Height: 7' Ages: 5-12



4-Section Bubble Wall

Model: EFR0069XX Use Zone: 14' x 30' Ages: 5-12



4-Section Short Bubble Wall NEW

Model: EFR0159XX Use Zone: 14' x 30' Ages: 2-5



Tri-Rung Bubble Trek

Model: TCF0148XX

Use Zone: 38' x 16'

Fall Height: 7'

Ages: 5-12

2-Section Short Bubble Wall

Model: EFR0157XX Use Zone: 3¾′ x 4″ x 6½′ Ages: 2-5



Mole Hill

Model: 87000010XX Use Zone: 26' x 26' Height: 6' Ages: 5-12



Criss Cross

Model: 87000034XX Use Zone: 25' x 16' Height: 6' Ages: 5-12



Mini Arch

Model: 87000011XX Use Zone: 20' x 17' Height: 4' Ages: 5-12



Hump Camel Climber Use Zone: 17' x 14'

Single Junior (Pictured)
Model: TFR16968XX Model: TFR16985XX
Ages: 5-12 Ages: 2-5



groundsforplay.com | 59


















Ages: 2-12

Includes 5 Steps















| | Height | |
|--|--------|--|
| | 19.5" | |
| | 23.5" | |
| | | |



| ily Pad Walk | |
|---------------------------|---|
| | |
| Ages: 2-5, 5-12 | |
| | |
| Count Use Zone Item Numbe | r |
| 15' x 12' 90021200X) | • |
| 15' x 18' 90021100XX | |



| _ | | |
|-------|------|-------------|
| Style | Size | Item Number |
| | 14" | TFR0704XX |
| Half | 20" | TFR0706XX |
| | 28" | TFR0708XX |
| | 14" | TFR0705XX |
| Full | 20" | TFR0707XX |
| | 28" | TFR0709XX |

In-Ground Mount Kit (TFR0716XX) and Surface Mount Kit (TFR0717XX) Sold

Half Play Spheres



Balance Beam

Ages: 2-5 (>12" Install Height), 5-12 (>16" Install Height)

| Style | Length | Use Zone | Item Number |
|----------|--------|-----------|-------------|
| Zig-Zag | 9.75′ | 15' x 22' | 90021016XX |
| Straight | 6′ | 13′ x 18′ | 90021006XX |
| Straight | 8′ | 13' x 20' | 90021008XX |

60 Grounds









Swing Frames & Seats

Single Post Swing Frames

Constructed from either 5" (without shade) or 6%" (with shade) diameter steel, these frames feature an 8' height and are available with or without shade. The version with shade is IPEMA Certified and ASTM F1487-17 Compliant.

Without Shade

| Bays | Item Number | Use Zone |
|------|-------------|-----------|
| 1 | TFR0628XX | 24' x 32' |
| 2 | TFR0629XX | 36′ x 32′ |
| 3 | TFR0630XX | 48' x 32' |
| 4 | TFR0631XX | 60′ x 32′ |

With Shade

| Bays | Item Number | Use Zone |
|------|-------------|-----------|
| 1 | RSW23516G | 24' x 32' |
| 2 | RSW3516G | 36' x 32' |
| 3 | RSW46516G | 48' x 32' |
| 4 | RSW5816G | 60′ x 32′ |

Arch Swing Frame

Constructed from 3.5" or 5" diameter steel, these frames feature an 8' height and are for use with swing seats or tire swings.

For Traditional Swing Seats

| Post Size | e Bays | Item Number | Use Zone |
|-----------|-----------|-------------|---------------|
| | 1 | TFR3501XX | 24' x 32' |
| | 2 | TFR3502XX | 36′ x 32′ |
| 3.5" | 3 | TFR3503XX | 48' x 32' |
| | 4 | TFR3504XX | 60′ x 32′ |
| | Add-A-Bay | TFR3500XX | Add 11' x 32' |
| | 1 | EFR0116XX | 24' x 32' |
| | 2 | EFR0117XX | 36' x 32' |
| 5" | 3 | EFR0118XX | 48' x 32' |
| | 4 | EFR0119XX | 60′ x 32′ |
| | Add-A-Bay | EFR0120XX | Add 11' x 22' |

For Tire Swings

Our tire swing frame is made from 5" steel tubing.

| Bays | Item Number | Use Zone |
|-----------|-------------|---------------|
| 1 | 90015991XX | 22′ x 28′ |
| 2 | 90015992XX | 22' x 44' |
| 3 | 90015993XX | 22' x 59' |
| 4 | 90015994XX | 22' x 74' |
| Add-A-Bay | 90945900XX | Add 11' x 22' |



Standard Swing Frames

Constructed from 2³/₈" galvanized steel tubing with cast aluminum junctions, these swing frames feature an 8' or 10' height. The part numbers below are for galvanized frames. To order a powder coated frame for an upcharge, replace "XX" with "PC" in the part numbers below.

Bi-Pod

Available in an 8' height only.

| Bays | Item Number | Use Zone |
|-----------|-------------|---------------|
| 1 | 90015401XX | 25' x 32' |
| 2 | 90015402XX | 36′ x 32′ |
| 3 | 90015403XX | 48′ x 32′ |
| Add-A-Bay | 90915400XX | Add 11' x 32' |

Tri-Pod

| Height | Bays | item Number | Use Zone |
|--------|-----------|-------------|---------------|
| | 1 | 90015301XX | 33' x 32' |
| 8′ | 2 | 90015302XX | 45′ x 32′ |
| 0 | 3 | 90015303XX | 56′ x 32′ |
| | Add-A-Bay | 90015300XX | Add 11' x 32' |
| | 1 | 90015311XX | |
| 10′ | 2 | 90015312XX | 47' × 40' |
| 10 | 3 | 90015313XX | 58′ x 40′ |
| | Add-A-Bay | 90015391XX | Add 11' x 32' |


Hee Zene



To-Fro Glider

The To-Fro Glider is designed for children aged 6-23 months. Swing seats (INFO0058XX) sold separately. INFO0058XX includes two seats and chain sets.

| Bays | Item Number | Use Zone |
|------|-------------|-----------|
| 1 | TFR0692XX | 24' x 13' |
| 2 | TFR0693XX | 36′ x 13′ |



Encourages Turn Taking Stimulates the Vestibular System



Belt Seats

Our molded belt seats feature galvanized triangle hardware and high carbon steel spring inserts to resist vandalism. Available in red, yellow, green, blue, black, and tan. Galvanized or yellow PVC coated chain is available. **Sold as a set of two.**

| Chain Type | Chain Link | Item Number |
|-------------------|------------|-------------|
| Galvanized ······ | 8′ | 90015108XX |
| Galvanized | 10′ | 90015110XX |
| Yellow PVC | 8′ | 90015208XX |
| reliow PVC | 10′ | 90015210XX |



Bucket Seats

Our full bucket seats feature high backs and full stainless steel inserts. These seats are available as for ages 24–47 months with 54" chain in red, yellow, green, blue, or black. **Sold as a set of two.**

| Chain Type | Item Number |
|------------|-------------|
| Galvanized | 90015130XX |
| Yellow PVC | 90015230XX |



Tire Swing Seats

Our Tire Swing Seat includes one tire and all galvanized chain and hardware. Order one item number per bay. Tires are made from durable, black roto-molded plastic. Model: TFR0612XX



INCLUSIVE

Inclusive Swing Seat

This patent-pending swing seat design is for children ages 5-12 who need support to maintain a seated position. This set comes with two seats and all chain and hardware. Available in any plastic color with a beige brace. **Sold as a set of two.**Model: TFR0768XX



Beveled Swing Mat

Our 48" x 48" x 1 $1\!\!\!/ 2$ " swing mat is great for areas where loose fill surfacing is used to help minimize the displacement of surfacing.

Model: WM-05





Customize your play structure to achieve your **physical** play and **learning goals** by using the structure components found on the following pages.

in this section

Slides 66
Climbers & Steps 67
Overhead Climbers 69
Deck Connectors 70
Integrated Shade & Roofs 71
Panels 72





Developmental Benefits • Helps Practice Turn Taking • Encourages Vestibular Stimulation



Double Curve Slide 5' Deck Height Ages: 5-12







Ladder Panel Climber Lava Climber 3' to 6' Deck Heights 16" & 2' to 4' Deck Heights Ages: 2-5, 5-12 Ages: 2-5, 5-12



Straight Slide 3', 4', and 5' Deck Heights Ages: 2-5, 5-12



Double Slide

Ages: 2-5, 5-12

3' to 7' Deck Heights

Wave Slide 3' and 6' Deck Heights Ages: 5-12



Curve Slide 3' Deck Height: Right Turn 4' Deck Height: Left & Right Turn 5' Deck Height: Right Turn Ages: 2-5, 5-12



Single Chute Slide 2' to 8' Deck Heights Multiple Configurations Available Ages: 2-5, 5-12



Rockin' Ramp **Ring Climber** 2' to 5' Deck Heights 3' Decks Only Ages: 2-12 Ages: 2-5, 5-12



Clover Climber 2' to 8' Decks Ages: 2-5, 5-12




Snake Climber Loop Climber 4' to 5' Decks 3' and 4' Decks Only Ages: 2-5, 5-12 Ages: 5-12



Developmental Benefits

• Builds Strength and Endurance

Disk Climber 2' to 8' Deck Heights Ages: 2-12



Straight Tube Slide 2' to 8' Deck Heights Ages: 2-5, 5-12

90-Degree Turn Tube Slide 2' to 8' Deck Heights Ages: 2-5, 5-12

Spiral Tube Slide 6' to 8' Deck Heights Ages: 2-5, 5-12

Zig Zag Tube Slide 4' to 8' Deck Heights Ages: 2-5, 5-12



Chain Link Climber 4' and 5' Decks Only Ages: 2-5, 5-12



PVC Cargo Net Climber 4' to 5' Decks Ages: 2-5, 5-12



Vertical Rung Ladder 2' to 8' Deck Heights Ages: 2-5, 5-12








































Single & Double Trapeze Ring 3-Wheel Swinger Straight and 90° (Single Only) 8' Length Ages: 5-12



8' Length Ages: 5-12



Deep Rung Arch 3' to 6' Decks Ages: 2-5, 5-12



Half Moon Climber 4' and 6' Decks Only Ages: 5-12



Bubble Ladder 4', 6', and 8' Deck Heights 3' to 8' Deck Heights Ages: 5-12



Coil Climber Ages: 2-5, 5-12



Steps 1' to 4' Deck Heights



8' Length

Ages: 5-12

Single & Double Parallel Bar 8' Length Ages: 5-12



Wavy Deep Rung 8' Length Ages: 5-12



Track Glide 10' Length Ages: 5-12



360° Orbital 8' Length Ages: 5-12











Flat Bridge 6' Length




Clatter Bridge 8' Length



Fixed Lily Pad Bridge 8' Length Suspended Version (Ages 5-12) Available

4' and 8' Lengths

Ages: 2-12



Straight Crawl Tube 2', 4', 6', and 8' Lengths Ages: 2-5, 5-12



Panel Shingle Roof Square and Rectangle Decks Single and Double Options Available



Slat Roof Square and Rectangle Decks



Ridge Gable Roof Square and Rectangle Decks



Square Ridge Roof Square and Rectangle Decks



Zig-Zag Crawl Tube

Left or Right Zig-Zag Ages: 2-5, 5-12 Decks: Equal Height Offset by 24"

Curved Crawl Tube

60° and 90° Curve Degrees Ages: 2-5, 5-12

Wavy Crawl Tube

Ages: 2-5, 5-12 Length: 8'

Inclined Crawl Tube

12" and 24" Incline Ages: 2-5, 5-12 Decks: Unequal Height



Arched Gable Roof Square and Rectangle Decks



Square Shingle Roof Square and Rectangle Decks



Hexagon Shingle Roof Hexagon Decks



Arched Hexagon Roof Hexagon Decks



components













Bus Ages: 2-12



DrivingAges: 2-12
Choose Between One or Two Steering Wheels



Window Ages: 2-12



Slotted Ages: 2-12



Geo Ages: 2-5



Airplane Ages: 2-12



Frog Crawl Through Ages: 2-12 Ground-Level Only



Mirror Ages: 2-12



Solar System Ages: 2-12



Radial Engine Ages: 2-12







Snake Ages: 2-12



Toucan Ages: 2-12



Puppet Ages: 2-12



Texture Ages: 2-12



Ages: 2-12

Clock/Sign Language
Ages: 2-12



Bubble Ages: 2-12



Honeybee Ages: 2-12



Starburst Ages: 2-12



Tic-Tac-Toe Ages: 2-12



Bead Ages: 2-12



Bell Ages: 2-12



Castle Ages: 2-12



Ages: 2-12 Ground-Level Only



Ground-Level Only

72 Grounds Custom Panels Are Available groundsforplay.com | 73




Porthole Wave Ages: 2-12



Boat Ages: 2-12



Porthole Dolphin Ages: 2-12



Iris Ages: 2-12



Half Yoke Motion Ages: 2-12 Ground-Level Only



Half Drive Shift Ages: 2-12 Ground-Level Only



Sound Cylinder Ages: 2-12 Single or Double



Shape Spinner Ages: 2-12



Half Gear Ages: 2-12 Ground-Level Only



Half Push Ages: 2-12 Ground-Level Only



Bongo Panel Ages: 2-12



Kaleidoscope Insert Ages: 2-12




Spin Maze Insert Ages: 2-12



Frog Tile Slide Insert* Ages: 2-12



Snake Tile Slide Insert* Ages: 2-12



Ages: 2-12

Post Mounted



4 In A Row Insert* Ages: 2-12



Flower Explorer Insert*
Ages: 2-12



Solar Explorer Insert* Ages: 2-12



Fish Tile Slide Insert* Ages: 2-12



Pond Explorer Insert*
Ages: 2-12



Butterfly Tile Slide Insert* Ages: 2-12

Surfacing Guide & Accessories

Since safety is our first concern, we recommend only the surface materials below which have proven track records.

Poured In Place (PIP)

| Visual | Initial | Maintenance | Easily | Expected Longevit |
|--------|------------|-------------|-------------|-------------------|
| Appeal | Investment | Required | Accessible? | |
| •••• | •••• | •••• | •••• | •••• |

High Traffic Use, Add Graphics, High Wear Resistance

Bonded Rubber Mulch

| Visual | Initial | Maintenance | Easily | Expected |
|--------|------------|-------------|-------------|-----------|
| Appeal | Investment | Required | Accessible? | Longevity |
| •••• | •••• | •••• | •••• | •••• |

Recycled Rubber, Medium Wear Resistance, Color Selection

Rubber Tiles

| Visual | Initial | Maintenance | Easily | Expected |
|--------|------------|-------------|-------------|-----------|
| Appeal | Investment | Required | Accessible? | Longevity |
| •••• | •••• | •••• | •••• | |

Easy to Repair, High Wear Resistance, Color Selection

Synthetic Turf

| Visual | Initial | Maintenance | Easily Accessible? | Expected |
|--------|------------|-------------|--------------------|-----------|
| Appeal | Investment | Required | | Longevity |
| •••• | •••• | •••• | •••• | •••• |

2-Layer System, Medium Wear Resistance

Loose Fill Rubber Mulch

| Visual | Initial | Maintenance | Easily | Expected |
|--------|------------|-------------|-------------|-----------|
| Appeal | Investment | Required | Accessible? | Longevity |
| •••• | | | •••• | •••• |

Shredded Rubber, High Wear Resistance, High Impact Attenuation Rating, and Mold, Animal, and Insect Resistant

Engineered Wood Fiber

| Visual | Initial | Maintenance | Easily | Expected |
|--------|------------|-------------|-------------|-----------|
| Appeal | Investment | Required | Accessible? | Longevity |
| •••• | •••• | •••• | •••• | •••• |

All-Natural, Use of Wear Mats Recommended

Surfacing Accessories



12" Tall Landscape Timbers

| Length | Item Number |
|--------------|-------------|
| 4′ | LT-4 |
| 6′ | LT-6 |
| Border Cap | BMP-0002XX |
| Timber Stake | LTH |



4' x 8" Landscape Timber

Timber Model: LT-4-8 Stake Model: LTH




ADA Accessible Ramp System

Our ADA ramp systems, made from roto-molded plastic, allow for easier transitions into your timber-bordered recycled play environment. These systems are designed for timbers that are 12" high. These systems also include stakes (9 for full, 6 for half) and 2 end caps.

| | Item Number | |
|------|-------------|-----------|
| Full | TCF0078XX | |
| Half | TCF0077XX | 60" x 43" |













Product

Complete Your Space With Just **One** Company

Shade

We offer shade structures for nearly every application. Shop our collection when looking for:

- Playground Shades
- Site Furnishing Shades
- Picnic Area Shades
- Outdoor Classroom Shades
 - And More!

Shelter

We offer shelter structures to provide protection from both the weather and the sun. Shop our collection when looking for:

- Picnic Pavilions
- Bleacher Covers
- Walkway Covers
- And More!

Site Furnishings

We offer a full line of benches, tables, and trash receptacles in a variety of styles.

Shop our collection when looking for:

- Tables
- Benches
- Trash Receptacles
 - Bike Racks
 - And More!

Ask your representative for more information!







Making It Easy buy

Ordering is as easy as contacting your local Grounds For Play sales representative. They'll answer any questions and provide pricing and shipping information for our products. To start, visit groundsforplay.com/find-a-rep to find your local representative's contact information. Grounds For Play also makes it easy for clients to buy by utilizing reputable national purchasing cooperatives.

State-Specific Opportunities



The NASPO ValuePoint Cooperative Purchasing Organization is available to all public agencies, institutes of higher education, political subdivisions, and, in some cases, non-profit organizations in states who have obtained a NASPO ValuePoint Participating Addendum. Currently, we have partnered with the following states:

- Montana
- South Dakota
- North Dakota
- Utah
- Oregon
- WashingtonVirginia
- South Carolina
- New York
- KansasNew Mexico
- And More!

For Businesses



NAVITAS
CREDIT CORP.

A UNITED COMMUNITY BANK COMPANY

Navitas Credit Corporation is a nationwide direct lender with a focus on small and medium sized businesses. Navitas provides capital in the form of leases and loans to assist businesses in acquiring the equipment and financing they need to grow and stay competitive.

For Government Entities



BuyBoard is an online purchasing cooperative that gives its members best pricing on products, equipment, and services that they use every day. Members save time and resources because the competitive procurement process has already been completed. BuyBoard's nationwide members include those in public schools, municipalities, county government, and all types of local government agencies and non-profits.



GSA Advantage!® is an online cooperative purchasing program that provides access to thousands of products and services. State and local government entities can take advantage of this buying power to get you the best value and price.

For Everyone

Our representatives have extensive knowledge and training in early childhood and Grounds For Play products. Find your closest representative by visiting groundsforplay.com/find-a-rep.



We Meet or Exceed industry standards

In our effort to provide safe and quality play products for children, our products meet or exceed the standards set forth by the below organizations. Additionally, we follow our own strict in-house standards and guidelines.

Safety & Accessibility Standards



International Play Equipment Manufacturers Association™

In the interest of playground safety, the International Play Equipment Manufacturers Association (IPEMA™) provides a third-party certification service whereby a designated independent laboratory, TÜV SÜD America Inc., (TÜV), validates an equipment manufacturer's certification of conformance to the standards below.

- ASTM1487-17, excluding sections 7.1.1, 10 and 12.6.1: Standard Consumer Safety Performance Specification for Playground Equipment for Public Use
- CAN/CSA-Z614-14, excluding clauses 9.8, 10, and 11: Children's Playspaces and Equipment

A list of current validated products may be viewed on their website at www.ipema.org. Grounds For Play is a member of this organization.

ASTM International

ASTM International, formerly American Society for Testing and Materials, is an independent and world renowned developer of technical standards utilized in testing a multitude of products. ASTM developed F1487 Standard Consumer Safety Performance Specifications for Playground Equipment for Public Use. The current standard is F1487-11, published in 2011.



U.S. Consumer Product Safety Commission

The U.S. Consumer Product Safety Commission (CPSC) presents safety guidelines through the

publication of their Public Playground Safety Handbook. This handbook promotes greater safety awareness among those who purchase, install, and maintain public playground equipment. The handbook can be viewed on the CPSC's website, cpsc.gov.



United States Access Board

The U.S. Access Board is a federal agency that promotes equality for people with disabilities.

They've developed guidelines and standards for built environments, such as playgrounds.

In-House Standards

At Grounds For Play, we only use quality playground materials. Our playgrounds are proudly manufactured in the USA and are

To ensure the safest play for your children, we offer:

- Quality control inspection on all parts and shipments
- All products must pass inspection in our IPEMA Certified In-House Testing Facility
- In-house production of most products
- All products meet or exceed CPSC, ASTM, and ADA Safety Guidelines
- On-staff CPSI certified employees
- Local field factory trained installation technicians

Quality Standards



Allied Tube & Conduit®

Some of our products constructed from Allied's heavy-wall galvanized steel tubing,

which is protected by Allied's patented Flo-Coat® process that uses triple-coat corrosion protection (zinc, conversion coating, and clear organic topcoat) to provide a smooth, shiny product appearance that is unmatched in terms of strength and durability

GreenCircle Certified

Our lumber supplier, Tangent®, has achieved recycled content verification from GreenCircle Certified. Their certification is in compliance with ISO 14021:2016 definitions and the guidelines in the 2012 Federal Trade Commission (FTC) Green Guides for recycled content. Our posts and decks also meet criteria for the USGBC LEED requirements.



Our warranty guarantees years of fun, offering a Lifetime* Warranty on core playground components and a 15-Year Limited Warranty on additional playground parts. Read the details below for full coverage information.

Grounds For Play (GFP) warrants that its product will be free from defects in materials and workmanship as well as maintain structural integrity for the periods listed below from the date of invoice and once GFP has been paid in full. This warranty is in effect only if the product has been assembled and installed strictly in accordance with the setup instructions provided by GFP, good construction practices, and has been subjected only to normal use and exposure.



Lifetime* Warranty on playground steel and recycled posts, all stainless steel hardware, c-line fittings, and aluminum post caps

15-Year Limited Warranty on playground pipes, rungs,

loops and rails, roto-molded plastics, HDPE plastic

sheets, punched steel decks, and recycled decks



10-Year Limited Warranty on shade fabric



5-Year Limited Warranty on standard powder coat* and playground netting cable



1-Year Limited warranty on moving parts, shade cables, and materials not covered above

Limited Warranty: Structural Stee

GFP offers a *Lifetime Limited Warranty on structural steel frames against failure due to rust-through corrosion under normal environmental conditions. Should the parts need to be replaced under the warranty, GFP will manufacture and ship new replacement parts at no charge for the first ten years, thereafter pro-rated at 50% for the second ten years and 25% from there on. Workmanship is warranted for a period of five years. This steel warranty shall be void if damage to the steel is caused by the installer or from physical damage, damage by salt spray or sprinkler systems, contact with chemicals, chlorine, pollution, misuse, vandalism, or any act of God.

*Limited Warranty: Powder Coat

GFP offers a 5-year Limited Warranty for standard powder coating or a 7-year Limited Warranty for Corrosion Defense Package powder coating to the original purchaser. This Limited Warranty is for factory applied finish only. Damage occurring from shipping, erection, vandalism, accidents, or field modification is not covered in this limited warranty and will require field touch-up immediately and periodically thereafter. The owner must report any defect in powder coat at the time the installation is completed. Not covered by this Limited Warranty are acute angles, welds, and end plates.

The Limited Warranty for powder coating provides the following after a 5-year (standard) or 7-year (Corrosion Defense Package) exposure period when applied according to the recommendations listed on the product's technical data sheet and appropriate surface preparation has been utilized.

- The coatings shall retain their original color with a ΔE of <7.5 units for high chroma colors (yellows, reds, oranges, etc.) and a ΔE of<5.0 units for low chroma colors, when tested in accordance with ASTM D 2244.
- The coating shall retain a minimum of 50% of its original gloss level after washing, when tested in accordance with ASTM D 523.
- · The coating shall exhibit chalking no worse than numerical rating of 6, when evaluated in accordance with ASTM D 659-80.

Stainless Steel Series Powered by Playdale Playgrounds

Playdale Playgrounds warrants its products to the original customer to be free from structural failure due to defect in materials or workmanship during normal use and installation in accordance with the published specifications. The warranty shall commence on the date of the invoice and terminate at the end of the period on the full warranty statement. The warranty is valid only if the products are installed properly and in conformance of the specifications, installation guides, Playdale Playgrounds design layout, and properly maintained in accordance with the maintenance schedule provided within the installation instructions. Playdale Playgrounds reserves the right to accept or reject any claim in whole or in part. Playdale Playgrounds will not accept the return of any product without prior approval by Playdale management.

Pricing, Cancellation, Return, and Shipping Policies

All prices are F.O.B. factor and do not include freight, installation, shipping and handling, surfacing, or applicable taxes. All prices listed were current at the time of printing and in U.S. currency. Prices are subject to change without notice. To view our return policy, please visit superiorrecreational products.com/returns. For information on Return Material Authorizations please call 1.800.552.7529. To view our shipping policy, please visit superiorrecreational products.com/shipping-policy. For any further information, please call 1.800.552.7529.

For the purpose of this warranty, lifetime encompasses no specific term of years, but rather that seller warrants to its original customer for as long as the original customer owns the product and uses the product for its intended purpose that the product and all parts will be free from defects in materials and manufacturing workmanship. This warranty does not cover damage caused by vandalism, misuse or abuse, altered or modified parts, or cosmetic damage such as scratches, dents, or fading or weathering and normal wear and tear. This warranty is valid only if the structures are installed in conformity with instructions provided by GFP using approved GFP parts. GFP will deliver the repaired or replacement part or parts to the site free of charge, but will not be responsible for labor or the labor costs of replacement. Warranty claims must be filed within the applicable warranty period and accompanied by a sales order or invoice nun

groundsforplay.com | 79

Color Options

Metal Colors

Gloss Matte or Metallic

Plastic Colors



Activity Panel & Panel Colors



Shade Colors



Recycled Deck & Post Colors



Color Schemes







Kraftsman Commercial Playgrounds & Water Parks

19535 Haude Rd. Spring, TX 77388 800.451.4869 info@kraftsmanplay.com

kraftsmanplay.com













