



Pool Slides & Climbing Walls



Pool Climbing Walls

What's more fun than the challenge of pushing yourself to climb to the top of a wall? The rewarding splash back into the pool! Our comprehensive line of pool climbing walls were developed by experts in the climbing industry and aquatic professionals.

Each wall is designed to withstand the harshest of indoor and outdoor aquatic settings. Pool climbing walls attract visitors of all ages and athletic abilities. From helping kids build self-esteem, to adult strength training, pool climbing walls expand poolside programming and require little maintenance.

Choose climbable surface heights from 8' - 23'. Available in clear or opaque wall panels.

Depth requirements vary by state, so be sure to check your local, city, and state requirements.



Pool Climbing Walls



AquaKraft pool climbing walls add adventure to pool decks in both indoor and outdoor applications. Available in 2, 3, and 4 panel heights, they are modular to fit any space and deck configuration. The AquaKraft pool climbing wall is constructed of a 100% stainless steel frame and UV and chlorine resistant panels. The see-through panels eliminate any visual barrier on the deck and hold an attractive visual appeal and fun to any aquatic setting.

Features

- Designed to last in harsh indoor and outdoor aquatic settings
- All stainless steel is passivated and coated to resist corrosion
- Frame is constructed of 100% USA made stainless steel
- Each section comes in a sturdy single frame with solid one piece construction
- Easy installation

Requirements

- 35" of deck space
- 4' of clearance behind the wall for a walkway
- 5" to either side of the wall
- 10' drop zone
- Pool depth determines the allowable climbing height

AK-70535 - KERSPLASH (8' TALL X 4' WIDE)
AK-70536 - KERSPLASH (12' TALL X 4' WIDE)
AK-70537 - KERSPLASH (16' TALL X 4' WIDE)
AK-160552 - KERSPLASH WITH REMOVABLE
BOTTOM PANEL (12' TALL X 4' WIDE)



Poolside Slides



**Palm tree toppers are not included and available for additional cost*

Poolside Slides

Make a splash with high quality, commercial grade poolside slides - fun for all ages! AquaKraft's poolside slides are available in a wide array of configurations and colors. Safety and rider experience are our top priority. These slides boast slip-resistant steps and decking, plus a variety of twists and turns to accommodate all facilities. Colorful and highly visible, poolside slides will give your pool a fresh look that will last for years to come.

Features & Benefits

- Powder coated steel frame
- Custom colors available to match any pool environment
- Non-slip surface on steps and deck
- Bell and socket flumes - no leaks
- Modular to fit all deck configurations
- Buildable for future flume additions

Standard Color Options:



Summer

• Yellow (SPI-DY)
• Ocean Blue
• Blue



Deep Ocean

• Ocean Blue (SPI-CB)
• Feather Gray
• Blue



Patriotic

• Feather Gray (SPI-LGY)
• Blue
• Red



Earth

• Spring Green (SPI-GC)
• Iced Coffee
• Blue
• Brown





Poolside Slides

SINGLE FLUME



**Palm tree toppers are not included and available for additional cost*

Single flume triangle deck poolside slide features a single 360 ° enclosed slide flume, a triangle deck, and center steps with rails. The slide flume is fabricated from rotationally molded UV stabilized color impregnated LDPE. Custom colors are available.

Features:

- Platform height is 8'
- Flume length is 11.5'
- Deck width of slide is 13'
- Slip-resistant platform for safety
- 260 lb weight limit
- Installation available for an additional fee
- 3-year warranty when installed by a factory authorized installer
- Poolside slide structures are made to order

1810371 - SINGLE FLUME 360 ° TRIANGLE DECK



**Palm tree toppers are not included and available for additional cost*

Single flume triangle deck poolside slide features a single 90 ° enclosed slide flume, a triangle deck, and center steps with rails. The slide flume is fabricated from rotationally molded UV stabilized color impregnated LDPE. Custom colors are available.

Features:

- Platform height is 8'
- Flume length is 14.5'
- Deck width of slide is 19.75'
- Slip-resistant platform for safety
- 260 lb weight limit
- Installation available for an additional fee
- 3-year warranty when installed by a factory authorized installer
- Poolside slide structures are made to order

1810547 - SINGLE FLUME 90 ° TRIANGLE DECK



Poolside Slides

DOUBLE FLUME

Features:

- Flumes are fabricated from rotationally molded UV stabilized color impregnated LDPE
- Custom colors are available
- Slip-resistant platform for safety
- Installation available for an additional fee
- 3-year warranty when installed by a factory authorized installer
- Poolside structures are made to order



Double flume half hex deck poolside slide features two 90° enclosed slide flumes, a half hex deck, and center steps with rails.

Features:

- Platform height is 8'
- Deck width of flumes is 35.75'
- 260 lb weight limit
- Slide curve: twist

1810555 - DOUBLE FLUME-90°/90° - HALF HEX DECK




Double flume half hex deck poolside slide features one 360° and one 90° enclosed slide flume, a half hex deck, and center steps with rails.

Features:

- Platform height is 8'
- Deck width of flumes is 24' 2"
- 260 lb weight limit

1810549 - DOUBLE FLUME-90°/360° - HALF HEX DECK



Double flume triangle deck poolside slide features one 360° and one 90° enclosed slide flume, a triangle deck, and center steps with rails.

Features:

- Platform height is 8'
- Deck width of flumes is 22.5'
- 260 lb weight limit

1810548 - DOUBLE FLUME-90°/360° - TRIANGLE DECK

**Palm tree toppers are not included and available for additional cost*



Poolside Slides

DOUBLE FLUME



Double flume half hex deck poolside slide features two 360 ° enclosed slide flumes, half hex deck, and center steps with rails.

Features:

- Platform height is 8'
- Deck width of flumes is 15'
- 260 lb weight limit

1810373 - DOUBLE FLUME- 360°/360° - HALF HEX DECK



Double flume dual triangle deck poolside slide features one 180 ° and one 540° enclosed slide flume, two triangle deluxe decks, and center steps with rails.

Features:

- Platform height is 8'
- Deck width of flumes is 20.75'
- 260 lb weight limit


1810557 - DOUBLE FLUME- 180°/540° - DUAL TRIANGLE DECK

**Palm tree toppers are not included and available for additional cost*



Poolside Slides

QUAD FLUME



Quad flume half hex deck poolside slide features two 90 °and two 360° enclosed slide flumes, half hex deck, and center steps with rails.

Features:

- Platform height is 8'
- Deck width of flumes is 33.75'
- 260 lb weight limit

1810552 - QUAD FLUME- 90°/360° - HALF HEX DECK



Quad flume half hex deck poolside slide features four enclosed slide flumes with varying degrees of turns, half hex deck, and center steps with rails.

Features:

- Platform height is 8'
- Deck width of flumes is 47'
- 260 lb weight limit

1810556 - QUAD FLUME- SUPREME HALF HEX DECK



Terms & Conditions

Prices:

Prices are F.O.B. factory and do not include freight charges. The possession of a price list or other pricing information does not constitute an offer or agreement to sell. Prices are subject to change without notice and are in US Dollars. Taxes, duties and other fees are the sole responsibility of the buyer. Prices shown do not include any federal, state, or local taxes and shall be billed as a separate item and paid by the Customer. Orders are accepted with the understanding that such taxes will be added, as required by law. Sales tax will be charged unless the customer has a valid sales tax resale or exemption certificate on file with AquaKraft.

Price quotations for standard products are valid for 30-days. Price quotations for custom products and commercial projects are valid for 60-days. Price quotations for custom design or special items are subject to change predicated on the information provided by the sellers at the time of quotation, as opposed to the definitive information presented at the time of order entry, engineering or fabrication.

Customer Orders:

Order placement requires a hard copy purchase order or signed copy of a quotation. If purchase order is verbal, with no hard copy (purchase order or signed quotation) confirmation, seller will not assume responsibility for errors related to, but not limited to, date of shipment, destination of shipment, items shipped or quantity of items shipped. Order must be shippable within 90-days of placement to hold original pricing. Purchase orders originating outside the United States and Canada require prepayment or an irrevocable letter of credit at time of order entry.

Order Cancellations:

Orders for standard cataloged products, if canceled within 24 hours, will be assessed a \$400.00 cancellation fee. The seller must receive order cancellation in writing. Once, accepted, orders can only be canceled after 24 hours with the consent of AquaKraft and on terms which will indemnify AquaKraft against loss. Canceled orders after 24 hours will be subject to a restocking fee. Custom equipment is non-cancellable.

Freight Procedure & Claims:

The transfer of ownership from AquaKraft occurs once the load is signed over to the freight company (FOB factory). The customer is responsible for all freight related costs, even those that may have not been disclosed as necessary to obtain the product at the time the order is placed, these can include but are not limited to: lift gates, limited access location charges, and construction zone deliveries.

INSPECT FREIGHT IMMEDIATELY UPON DELIVERY. All damage that occurs during the transit is the responsibility of the freight company and therefore is the responsibility of the owner/purchaser to file freight damage claims directly to the carrier. It is the customer's responsibility to obtain the bill of lading and document what has been received. Per federal law, the bill of lading will be used for all disputes. All freight damage must be noted on the bill of lading. Damage to packaging and any suspected hidden damage should be noted on the bill of lading and the Customer must contact the freight carrier within three days of delivery.

Any packaging requirements other than the standards used by AquaKraft will be invoiced as an extra charge.



Terms & Conditions

Returns/Restocking Fees:

Products may not be returned to AquaKraft without prior approval. It is the responsibility of the customer to obtain a return materials authorization (RMA) number from the AquaKraft parts and warranty department prior to returning materials. If items are returned without an RMA the freight will be refused and the customer will be responsible for all freight costs. The RMA number must be written on the outside of each package that is being returned. AquaKraft will reject items returned without a legible RMA number.

Returns must be sent with freight prepaid and are subject to a restocking charge of 25% of the purchase price. Items must be returned within 30 days of issuance of a RMA; if not returned within 30 days the RMA will be canceled. All freight costs associated with returns from the desired shipping point to AquaKraft are the customer's responsibility. Materials that qualify for return must be returned within 90 days of invoice date. All materials returned must be in a new and unused condition to warrant any credit consideration.

Shortage of Goods or Damaged Goods:

Claims for shortages must be made in writing to the AquaKraft's parts and warranty department within three days after delivery of goods. If notice is not received in writing within this time frame, AquaKraft will conclusively presume that the goods were delivered in their entirety. Unless agreed upon otherwise in writing, AquaKraft reserves the right to make partial shipments and to submit invoices for partial shipments.

Delay or Non-Delivery: AquaKraft is not liable and shall be indemnified for any delay in delivery or failure to deliver hereunder when delivery has been made by impractical by fire, flood, embargo, strike, differences with employees, accidents, acts of God, failure or inability to secure materials from usual sources of supply or any other circumstances beyond the control of AquaKraft.

Buyer's Financial Condition:

AquaKraft reserves the right to refuse service, terminate accounts, cancel orders, modify any payment terms or require full or partial payment or adequate assurance of performance from the Customer, without liability to AquaKraft. Should the customer experience a material adverse change in their financial condition or if reasonable grounds for insecurity arise with respect to the customer's performance of this agreement then AquaKraft reserves the right to modify payment terms include shortening the payment period, requiring advance payment, or requiring payment of cash on delivery. AquaKraft reserves the right to cancel buyer's credit at any time for any reason, without notice. The foregoing remedies are in addition to AquaKraft's other rights and remedies under this agreement and under applicable law, including Section 2-609 of the Uniform Commercial Code.

Indemnification:

Buyer agrees to indemnify, defend and hold harmless AquaKraft, its directors, officers, employees, agents, successors and assigns from and against any and all damages, losses, expenses, costs (including without limitation reasonable attorney's and accountant's fees), claims, suits, actions, judgments or other liability asserted against or incurred by AquaKraft arising out of the customer's breach of its obligations hereunder, customer's negligence or misconduct, or customer's misuse or misapplication of the products or service Items or damage to the products or service Items caused by the customer or its employees, agents or customers.



AquaKraft Warranty

TWO YEAR LIMITED WARRANTY: PARTS

THREE YEAR LIMITED WARRANTY: STAINLESS STEEL DECK EQUIPMENT AND AQUATIC LIFT FRAME

What is covered by this warranty? AquaKraft warrants all products it manufactures to be free from defects in materials and factory workmanship to the original buyer. This warranty is contingent upon the proper installation, use, care and operation of the equipment for its intended purpose, and does not cover equipment that has been modified or has been subjected to physical abusive or environmental stresses. AquaKraft agrees to repair or replace, at its sole discretion, any product that fails to perform as specified within the specified warranty period, unless otherwise noted. In cases where the warranty card is not returned to AquaKraft, the beginning date for the warranty period will be the date that the pool lift was shipped from AquaKraft.

This warranty relates only to defects in materials and workmanship and does not include damage or failure resulting from other causes, including, but not limited to, acts of God, misuse or abuse, accident or negligence, fire, improper installation or ice damage. This warranty does not apply to fading of materials or to any corrosion of any metallic parts. Damage induced by the improper use of chemicals is not covered by this warranty. In the event that products are altered or repaired by anyone without the prior written approval of AquaKraft, all warranties are voided.

What will AquaKraft do related to the product covered by this warranty? AquaKraft shall provide, F.O.B. the factory, new or reconditioned replacement product or parts (AquaKraft's option). This warranty does not cover labor to remove or install equipment and parts.

What is not covered by this warranty? Damage or loss in transit as indicated by bill of lading, normal wear and tear, chemical damage, discoloration, misuse and damage or loss caused by neglect, abuse, vandalism, modification, improper installation, lack of proper maintenance (such as keeping products clean, lubricating battery contacts on lifts, etc.) or physical damage are not included in this warranty. See owner's manual for recommendations related to the use and care of the product.

Powder Coated Products: This warranty does not cover chipping, flaking, scratches or any other surface defect due to abuse, mishandling of product, or lack of maintenance and care. Due to the corrosive environments, this warranty does not cover surfaces damaged during handling or installation. Although powder coating on product is designed for longterm use, keeping products outside in the elements, inside a highly humid environment, excessive washing (including power washing) or improper maintenance may result in premature corrosion.

Parts: Components of products provided by other manufacturers are subject to the original equipment manufacturers (OEM) warranty. Examples include but not limited to batteries, actuators, control systems, valves, pumps, bearing, etc.

IMPORTANT: TO ENSURE SAFE OPERATION, USERS MUST COMPLY WITH THE PUBLISHED WEIGHT LIMITS ON SEVERAL PRODUCTS SUCH AS SLIDES, LIFTS, CHAIRS, STARTING PLATFORMS, STANDS AND LADDERS. REFER TO PRODUCT LITERATURE AND MANUALS FOR THESE LIMITATIONS.

To make a warranty claim, contact:

AquaKraft 19535 Haude Rd. Spring, TX 77388 info@kraftsmanplay.com 800.451.4869

AquaKraft disclaims all liability for damage during transportation, for incidental, special or consequential damage of whatever nature, for damage due to handling, installation, or improper operation, or for damage caused by circumstances beyond AquaKraft control; in no event shall recovery of any kind against AquaKraft be greater in amount than the purchase price of the equipment sold by AquaKraft that caused alleged damage. AquaKraft makes no warranties either expressed or implied, including any warranty of merchantability or fitness for particular purpose, other than these stated.

Some states do not allow the exclusion or limitation of incidental or consequential damages, or limitations on how long on implied warranty lasts, so the above exclusions may not apply to you. No representative has authority to change or modify this warranty in any respect.



Kraftsman Commercial Playgrounds & Water Parks
19535 Haude Rd. | Spring, TX 77388
Toll-Free: 800-451-4869 | info@kraftsmanplay.com
kraftsmanplay.com | aquakraft.com